

CARBODOTE PRIME- activated charcoal and sodium sulfate gel

Domes Pharma

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Carbodote Prime

Active Ingredients per ml:

Activated charcoal 300 mg, Sodium sulfate 62.5 mg

Inactive Ingredients:

water, glycerin, potassium sorbate, carboxymethylcellulose sodium, xanthan gum

Indications:

For use as a digestive adsorbent and cathartic to support and facilitate elimination of undesirable ingested substances following accidental exposure in dogs and cats.

Directions for use:


For oral use only as a **one-time administration** for dogs and cats. Administer the amount of product according to the following table

One dot delivers 6mL (0.02 oz) of product. Ten dots correspond to 1 full syringe (60mL or 2.03 oz). For animals over 20kg in body weight, use the appropriate combination of syringes. For example, a 30kg animal would receive one full syringe and 5 dots of another syringe.

Carbodote Prime Dose Chart

Animal's weight (kg)	Animal's weight (lb)	Number of dots (•)
≤ 2	0,0 - 4,5	1 •
2,1 - 4	4,6 - 8,9	2 ••
4,1 - 6	9,0 - 13,3	3 •••
6,1 - 8	13,4 - 17,8	4 ••••
8,1 - 10	17,9 - 22,2	5 •••••
10,1 - 12	22,3 - 26,6	6 ••••••
12,1 - 14	26,7 - 31,0	7 •••••••
14,1 - 16	31,1 - 35,4	8 ••••••••
16,1 - 18	35,5 - 39,8	9 •••••••••
18,1 - 20	39,9 - 44,1	10 ••••••••••

Carbodote Prime Syringe Instructions



Storage:

Store at room temperature and in a dry place.

Discard 1 month after opening.

Cautions:

CARBODOTE PRIME is intended for one time administration. When repeated administration of an adsorbent is necessary, follow up with CARBODOTE REPEAT.

For animal use only.

Do not administer by mouth to animals unable to swallow.

KEEP OUT OF REACH OF CHILDREN.

Should not be given in conjunction with oral medications as the charcoal may adsorb the therapeutic agent. Allow about 3 hours between the administration of CARBODOTE PRIME and a meal and/or oral treatments. Activated charcoal may cause the stools to turn black and can stain textiles and contact materials.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

CARBODOTE PRIME Product Labels

Syringe Label

102792EA26-1 - 1127/D2M

Active ingredients per mL: Activated charcoal 300 mg, Sodium sulfate 62.5 mg

Inactive ingredients: Water, glycerin, potassium sorbate, carboxymethylcellulose sodium, xanthan gum.

Indications: For use as a digestive adsorbent and cathartic to support and facilitate elimination of undesirable ingested substances following accidental exposure in dogs and cats.

Directions for use: For oral use only as a **one-time administration**. See carton box for complete instructions and cautions.

Cautions: For animal use only. Keep out of reach of children.

Storage: Store at room temperature and in a dry place.

Discard 1 month after opening

NDC Number: 86189-001-01

Manufactured for:

DOMES PHARMA Inc.

Salt Lake City, UT 84115

1-833-224-2015

info.us@domespharma.com

Carbodote™ Prime

ACTIVATED CHARCOAL AND SODIUM SULFATE GEL
FOR DOGS AND CATS



DP | DOMES
PHARMA

Net contents
(2.03 oz) | **60 mL**

Box Label

Active ingredients per mL:

Activated charcoal 300 mg, Sodium sulfate 62.5 mg

Inactive ingredients:

water, glycerin, potassium sorbate, carboxymethylcellulose sodium, xanthan gum.

Indications:

For use as a digestive adsorbent and cathartic to support and facilitate elimination of undesirable ingested substances following accidental exposure in dogs and cats.

Directions for use:

For oral use only as a **one-time administration** for dogs and cats.


Administer the amount of product according to the following table

• One dot (•) delivers 6 mL (0.02 oz) of product.

• Ten dots (•) correspond to 1 full syringe (60 mL or 2.03 oz).

For animals over 20kg in body weight, use the appropriate combination of syringes. For example, a 30kg animal would receive one full syringe and 5 dots of another syringe.

Animal's weight (kg)	Animal's weight (lb)	Number of dots (•)
≤ 2	0.0 - 4.5	1 •
2.1 - 4	4.6 - 8.9	2 ••
4.1 - 6	9.0 - 13.3	3 •••
6.1 - 8	13.4 - 17.8	4 ••••
8.1 - 10	17.9 - 22.2	5 •••••
10.1 - 12	22.3 - 26.6	6 ••••••
12.1 - 14	26.7 - 31.0	7 •••••••
14.1 - 16	31.1 - 35.4	8 ••••••••
16.1 - 18	35.5 - 39.8	9 •••••••••
18.1 - 20	39.9 - 44.1	10 ••••••••••



1. Before first use, wind ring as shown on image 1, until the desired number of dots is visible between the barrel and the ring as seen on image 2.

2. Remove the cap and administer the product directly into the animal's mouth on the back of the tongue (image 3).

3. After use, clean the syringe tip and replace the cap to prevent the product from drying and blocking the syringe.



Carbodote™ Prime

ACTIVATED CHARCOAL AND SODIUM SULFATE GEL
FOR DOGS AND CATS



DP | DÔMES
PHARMA

Net contents (2.03 oz) | **60 mL**

Storage:

Store at room temperature and in a dry place. Discard 1 month after opening

Cautions:

CARBODOTE PRIME™ is intended for one time administration. When repeated administration of an adsorbent is necessary, follow up with CARBODOTE REPEAT™. For animal use only.

Do not administer by mouth to animals unable to swallow.

KEEP OUT OF REACH OF CHILDREN.

Should not be given in conjunction with oral medications as the charcoal may adsorb the therapeutic agent. Allow about 3 hours between the administration of CARBODOTE PRIME and a meal and/or oral treatments. Activated charcoal may cause the stools to turn black and can stain textiles and contact materials.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

NDC number: 86189-001-01

Manufactured for:

DÔMES PHARMA Inc.

Salt Lake City, UT 84115

1-833-224-2015

info.us@domespharma.com

CARBODOTE PRIME

activated charcoal and sodium sulfate gel

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86189-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	300 mg in 1 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	62.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	black	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86189-001-01	60 mL in 1 SYRINGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/06/2026	

Labeler - Domes Pharma (770769404)

Establishment

Name	Address	ID/FEI	Business Operations
D2M Sante		569606767	manufacture, pack, label, analysis, api manufacture

Revised: 7/2026

Domes Pharma